

Date - 29-03-2024

**INDIRA IVF CLINIC**

(A Unit of IHHPL)

To

The officer  
Karnataka state pollution Control Board  
Sector No.07, Bypass Road, Navanagar,  
Bagalkot Karnataka -587101

Subject: - Submission of Annual Biomedical waste report for the year 2023

Respected Sir/Madam,

We INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT LTD) located at INDIRA IVF CLINIC 1st Floor, Jalawadi Plaza Ward no 10, near Rotary Circle, Vinayaka Nagara, Bagalkot, Karnataka 58710 registered Under Bio-Medical Waste (management & handling ) Rule , Authorization No:-NO65/KPSCB/RO(BGK)BMW/UIINNO-0102114367/ REG.NO -186989/2021-22/1424 , Have submitted the Bio Medical Wastage Annual report from January 2023 to December 2023

Enclosure:

1. Form- IV
2. Annual Biomedical waste dispatch record.


Thanking you  
Form, Indira IVF Clinic (A unit of Indira IVF hospital Pvt. Ltd.)  
Name: -DR SHASHANK V SANAGOUDAR (Center Head)

Sign:-

Center Seal

**INDIRA IVF HOSPITAL PVT. LTD,**  
(A UNIT OF INDIRA IVF HOSPITAL PVT. LTD.)  
'Jalawadi Plaza', Ward No-X  
CTS Nos, 162B/1A/4B, 4C, 4D,  
Near Old Kerudi Hospital,  
**BAGALKOT - 587 101.**

Centre Seal



Doctor Seal



**Form -IV**  
**(See rule 13)**  
**Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr.Shashank V Sanagoudar CENTER HEAD
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT. LTD)
	(iii) Address for Correspondence	:	1st Floor, Jalawadi Plaza Ward no 10, near Rotary Circle, Vinayaka Nagara, Bagalkote, Karnataka 587101.
	(i) Address of Facility	:	1st Floor, Jalawadi Plaza Ward no 10, near Rotary Circle, Vinayaka Nagara, Bagalkote, Karnataka 587101
	(ii) Tel. No./ Fax. No.	:	7230809995
	(V) E-mail ID	:	drshashank@indiraivf.in
	(i) URL of Website	:	<a href="http://www.indiraivf.com">www.indiraivf.com</a>
	(ii) GPS coordinates of HCF of CBMWTF	:	LAT 16.0183432° LONG 75.69596°
	(iii) Ownership of HCF of CBMWTF	:	Private
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handing) Rules.	:	Approved AuthorizationNo:- NO65/KPSCB/RO(BGK)BMW/UIINNO- 0102114367/ REG.NO -186989/2021-22/1424
	(v) Status of Consents under Water Act and Air Act.	:	
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds.- 0
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	N/A
	(iii) License number and its date of expiry.	:	NO65/KPSCB/RO(BGK)BMW/UIINNO- 0102114367/ REG.NO -186989/2021-22/1424. Valid up to - Life time.
3.	Details if CBMWTF	:	
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 71.44kg/Month Red Category: 44.031 kg/Month White: 23.419 kg/Month Blue Category:66.521 kg/Month 0 General Solid waste - 00 kg
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility	:	
	(i) Details of the on-site storage facility	:	Size : 15 Ltrs Dustbins of different colors for storage

	(i) Details of the on-site storage facility :	Size : 15 Ltrs Dustbins of different colors for storage Capacity: 0.3 cu.Meter Provision of on-site storage : We have Biomedical waste store area & BMW Stored in color coded closed containers																																																
	(ii) Disposal Facilities :	<table border="1"> <thead> <tr> <th data-bbox="916 292 1129 443">Type of Treatment</th> <th data-bbox="1129 292 1206 443">No. of Units</th> <th data-bbox="1206 292 1289 443">Capacity Kg/Day</th> <th data-bbox="1289 292 1410 443">Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr> <td data-bbox="916 443 1129 493">Incinerators</td> <td data-bbox="1129 443 1206 493"></td> <td data-bbox="1206 443 1289 493"></td> <td data-bbox="1289 443 1410 493"></td> </tr> <tr> <td data-bbox="916 493 1129 542">Plasma Paralysis</td> <td data-bbox="1129 493 1206 542"></td> <td data-bbox="1206 493 1289 542"></td> <td data-bbox="1289 493 1410 542"></td> </tr> <tr> <td data-bbox="916 542 1129 592">Autoclaves</td> <td data-bbox="1129 542 1206 592"></td> <td data-bbox="1206 542 1289 592"></td> <td data-bbox="1289 542 1410 592"></td> </tr> <tr> <td data-bbox="916 592 1129 642">Microwave</td> <td data-bbox="1129 592 1206 642"></td> <td data-bbox="1206 592 1289 642"></td> <td data-bbox="1289 592 1410 642"></td> </tr> <tr> <td data-bbox="916 642 1129 692">Hydroclave</td> <td data-bbox="1129 642 1206 692"></td> <td data-bbox="1206 642 1289 692"></td> <td data-bbox="1289 642 1410 692"></td> </tr> <tr> <td data-bbox="916 692 1129 741">Shredder</td> <td data-bbox="1129 692 1206 741"></td> <td data-bbox="1206 692 1289 741"></td> <td data-bbox="1289 692 1410 741"></td> </tr> <tr> <td data-bbox="916 741 1129 841">Needle tip cutter or destroyer</td> <td data-bbox="1129 741 1206 841"></td> <td data-bbox="1206 741 1289 841"></td> <td data-bbox="1289 741 1410 841"></td> </tr> <tr> <td data-bbox="916 841 1129 924">Sharps encapsulation or concrete pit</td> <td data-bbox="1129 841 1206 924"></td> <td data-bbox="1206 841 1289 924"></td> <td data-bbox="1289 841 1410 924"></td> </tr> <tr> <td data-bbox="916 924 1129 973">Deep Burial pits:</td> <td data-bbox="1129 924 1206 973"></td> <td data-bbox="1206 924 1289 973"></td> <td data-bbox="1289 924 1410 973"></td> </tr> <tr> <td data-bbox="916 973 1129 1023">Chemical disinfection:</td> <td data-bbox="1129 973 1206 1023"></td> <td data-bbox="1206 973 1289 1023"></td> <td data-bbox="1289 973 1410 1023"></td> </tr> <tr> <td data-bbox="916 1023 1129 1123">Any other treatment equipment:</td> <td data-bbox="1129 1023 1206 1123"></td> <td data-bbox="1206 1023 1289 1123"></td> <td data-bbox="1289 1023 1410 1123"></td> </tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep Burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	CBMWTF does the work of treatment and disposal of our bio-medical waste so details of quantity of recyclable wastes sold to authorized recyclers after treatment is not known to us.																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste. :	CBMWTF vehicles are being used for collection and transportation of biomedical waste.																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum) :	N/A																																																
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of :	Common Bio Medical Waste Treatment Facility BGK Sec no .07, By- Pass Road, Navanagar BAGALKOT – 587102																																																
	(vii) List of member HCF not handed over bio-medical waste. :	Not Known to us																																																
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period. :	We don't have a bio-medical waste management committee. However, our Floor Coordinator is giving training to Housekeeping and Clinical staffs regarding BMW management and handling. Moreover, he also looks after the proper storage of BMW in color coded bags and its handover to the CBMWTF for its disposal.																																																
7.	Detail training conducted on BMW :																																																	

	(i) Number of training conducted on BMW Management.		Training is conducted on quarterly basis
	(ii) Number of personnel trained		2
	(iii) Number of personnel trained at the time of induction		0
	(iv) Number of personnel not undergone any training so far.		Not any, because at the time of joining we give proper training to the staff regarding BMW H&M.
	(v) Whether standard manual for training is available ?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Not Any
	(ii) Number of the persons affected		N/A
	(iii) Remedial Action taken (Please attach details if any)		N/A
	(iv) Any Fatality occurred, details.		N/A
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		N/A
	Details of Continuous online emission monitoring systems installed		N/A
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		N/A
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		N/A
12.	Any other relevant information		NIL

Certified that the above report is for the period from **January 2023 to December 2023**

Date: 29-04-2023  
Place: BAGALKOT

Name and Signature of the Head of the Institution

INDIRA IVF CLINIC (A UNIT OF INDIRA  
Karnataka state pollution Control Board

PERIOD 01/2023 TO 12/2023

SL NO	MONTH	YELLOW BAG		RED BAG		BLUE BAG		WHITE BAG		CYTOTOXIC BAGAS		COVID YELLOW BAG		TOTAL	
		COUNT	WEIGHT	COUNT	WEIGHT	COUNT	WEIGHT	COUNT	WEIGHT	COUNT	WEIGHT	COUNT	WEIGHT	COUNT	WEIGHT
1	1/30/2023	6	6.61	6	3.41	6	5.43	0	0	0	0	0	0	18	15.45
2	2/28/2023	3	7.632	3	7.691	3	8.96	1	4.86	0	0	0	0	10	29.143
3	3/31/2023	1	0.5	1	0.56	1	0.68	1	0.0568	0	0	0	0	4	1.7968
4	4/27/2023	1	0.66	1	0.55	1	0.586	1	0.0512	0	0	0	0	4	1.8472
5	5/26/2023	1	0.425	1	0.59	1	0.578	1	0.681	0	0	0	0	4	2.274
6	6/24/2023	4	9.66	4	6.42	4	9.877	4	1.86	0	0	0	0	16	27.817
7	7/23/2023	6	9.5	6	7.45	6	8.4	4	3.4	0	0	0	0	22	28.75
8	8/21/2023	4	8.1	4	4.65	4	7	3	3.1	0	0	0	0	15	22.85
9	9/19/2023	4	11.1	4	4.7	4	11.05	4	2.7	0	0	0	0	16	29.55
10	10/18/2023	3	8.9	3	2.5	3	7.35	3	1.5	0	0	0	0	12	20.25
11	11/16/2023	4	6.41	4	3.61	4	4.7	4	3	0	0	0	0	16	17.72
12	12/15/2023	3	1.95	3	1.9	3	1.91	3	2.21	0	0	0	0	12	7.97
TOTAL		40	71.447	40	44.031	40	66.521	29	23.419	0	0	0	0	149	205.418

**INDIRA IVF HOSPITAL PVT. LTD.**  
(A UNIT OF INDIRA IVF HOSPITAL PVT. LTD.)  
'Jaiwadi Plaza', Ward No-X  
CTS Nos, 162B/1A/4B, 4C, 4D,  
Near Old Kerudi Hospital,  
**BAGALKOT - 587 101.**