

INDIRA IVF CLINIC

Date: -20-05-2024

The Office In Charge Regional Office Pollution Control Board, Ujjain (MP)

Subject: - For Submission of Annual Report for the year 2023.

Respected Sir/Madam,

This is to inform you that INDIRA IVF CLINIC (A Unit of Indira IVF Hospital Pvt Ltd.)situated at 1 Floor, Gayatri Mall, Mu. No 685/1,1/1,Shubhash Marg Ratlam (M.P.) is registered under Authorization Bio-Medical Waste Management Rules 2016 with license number PFC-077-006-RTM valid up to 31/12/2025 has submitted the annual report for the year 2023. Necessary documents are attached for the annual report.

Enclosures:

- 1. Form 4
- 2. BMW report

IVF CLINIC (A Unit of Indira IVF Hospital Pvt. Ltd.) Goyatri Mall, Mu.No. hosis Morg. RATLA

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Indira IVF Hospital Pvt. Ltd.

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

गर्म/भूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

ution Contro

Website : www.indiraivf.com Email: info@indiraivf.in CIN: U85110MH2015PTC406059



INDIRA IVF CLINIC

To Whom So Ever It May Concern

This is to certify that the following quantity of Bio medical waste has been generated from Indira IVF Center (a unit of Indira IVF Hospital Pvt. Ltd.) Ratlam. Bio medical waste has been handed over to common bio medical waste treatment facilities as per the guidelines for the period January-2023 to December-2023.

Year-2023

| | | | WHITE | BLUE | TOTEL KG |
|--------|--------|--------|--------|---------|----------|
| MONTH | RED | YELLOW | VVIIIL | - | 1.2 kg |
| JAN-23 | 1.2 kg | - | - | 0.5 kg | 2.7 kg |
| FEB-23 | 1.5 kg | 0.7 kg | - | 0.5 % | 1.9 kg |
| MAR-23 | 1.4 kg | - | 0.5 kg | 1 kg | 2.5 kg |
| APR-23 | 1 kg | - | 0.5 kg | | 1.3 kg |
| MAY-23 | 1.3 kg | - | - | - | 0.7 kg |
| JUN-23 | 0.7kg | - | - | - | 3 kg |
| JUL-23 | 2 kg | - | 1 kg | O.F. ka | 2 kg |
| AUG-23 | 1.5 kg | | - | 0.5 kg | 1.7 kg |
| SEP-23 | 1.2 kg | - | - | 0.5 kg | 1.8 kg |
| OCT-23 | 0.8 kg | - | 1 kg | - | 1.35 kg |
| NOV-23 | 1.25kg | - | 0.1 kg | - | 2.3 kg |
| DEC-23 | 2.3 kg | | 7 | | 22.45 kg |
| Total | 16.15 | 0.7 kg | 3.8 kg | 2.5 kg | 22.45 Kg |

For: Bio Medical Waste Management System

Worksite: Survey No. 308-314/3, Village - Banjali, Dist. Ratlam (M.P.)

Officer. 55-56, Ved Vyas Colony, Ratlam (M.P.)

Reg. No: 72/BMW/MPPCB/2010

Centre Seal

INDIRA IVY CLINIC (A Unit of indra IVF Hospital Pvt. Ltd.) 1st Floor, Gayatri Malt, Mu.Ma. \$85/1, 17 Control More 84



बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Indira IVF Hospital Pvt, Ltd.

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai-400059, (Mah.), India

गर्भ/भूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

Center Head Dr. Shikha Agrawal

> Website: www.indiraivf.com-Email: info@indiraivf.in CIN: U85110MH2015PTC406059

FORM 4

[See rules 6(5), 13(8), 16(6) and 20 (2)]

FORM FOR FILING ANNUAL RETURNS

[To be submitted to State Pollution Control Board by 30th day of June of every year for the preceding period April to March]

1. Name and address of facility:

HRA IVF CLINIC

2. Authorisation No. and Date of issue:

(A Unit of Indira IVF Hospital Pvt. Ltd. 1st Floor, Gayatri Mall. Mu.No. 685/1, 1/1 Subhash Marg, RATLAS

3. Name of the authorised person and full address with telephone, fax number and e-mail: DR. Shikky Agruwal 1st floor Gayatra Mall Mu-1 Subhas Marg Retlem 4. Production during the year (product wise), wherever applicable 10.7230052138

EMOLITO-CEMOCHEEL ROLL ST MAINTENNESS.

Part A. To be filled by hazardous waste generators

- 1. Total quantity of waste generated category wise
- 2. Quantity dispatched

NIO

(i) to disposal facility

(ii) to recycler or co-processors or pre-processor NIO

(iii)

NO

3. Quantity utilised in-house, if any -

110

Quantity in storage at the end of the year –

MITH

Part B. To be filled by Treatment, storage and disposal facility operators

- Total quantity received -
- 2. Quantity in stock at the beginning of the year -
- Quantity treated –
- 4. Quantity disposed in landfills as such and after treatment -
- Quantity incinerated (if applicable) -
- Quantity processed other than specified above -
- 7. Quantity in storage at the end of the year -

Part C. To be filled by recyclers or co-processors or other users

- Quantity of waste received during the year
 - (i) domestic sources
 - imported (if applicable) (ii)
- 2. Quantity in stock at the beginning of the year -

- 3. Quantity recycled or co-processed or used -
- 4. Quantity of products dispatched (wherever applicable) -
- 5. Quantity of waste generated -
- 6. Quantity of waste disposed -
- 7. Quantity re-exported (wherever applicable)-
- 8. Quantity in storage at the end of the year -

Date 20/05/2024
Place Rallem

Signature of the Occupier or Operator of the disposal facility

BIOMEDICAL WASTE MANAGEMENT SYSTEM

Worksite; Survey No.308-314/3, Vilalge-Banjali, Dist. Ratlam (M.P.)
Office; 55-56 Ved Vyas Colony, Ratlam (M.P.)
Telephone No; 07412-235239/230377 Fax No. 07412-233617
Reg.No.; 724/BMW/MPPCB/2010

MEMBERSHIP CERTIFICATE

This is to certify that INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVI. LTD.) IST FLOOR, GAYATRI MALL, RATLAM (M.P.) is member of Biomedical Waste Management System, Ratlam (M.P.) for disposal of biomedical waste. As per membership agreement the Hospital/ Nursing Home/ Pathology Laboratories/ Health Care Centre/Dental Clinic/Blood Bank is complying as per Bio-Medical Waste (Management and Handling) rules.

The member is segregating the Biomedical Waste at the source of generation as per Madhya Pradesh Pollution Control Board guidelines.

The member is responsible for disposal of liquid/chemical waste (category No. 8 & 10) as per Biomedical Waste Management rules.

The member will maintain all the required record of the Biomedical Waste and shall produce the same for inspection by competent authorities.

The member should submit Annual Report (Form-II) to prescribed authority {Regional officer, Regional office (Ujjain), M.P. Pollution Control Board, 17, Bharat Puri, Ujjain; in 31 January every year.

The membership is valid from the date of issue of the certificate and Non-compliance of the agreement/Biomedical Waste Management rules can lead to cancellation of the membership

DR. SHIKHA AGRAWAL

MOB: 7230052137

NO. OF BEDS: ZERO BEDS

Membership No.: PFC-077/00/RTM

Date of issue: 01/01/2022 Valid up to : 31/12/2025

Biomedical Waste Managemen Destem, Ratham