


Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars	
1.	Particulars of the Occupier	:
	(i) Name of the authorised person (occupier or operator of facility)	: Dr. Dayanidhi Kumar
	(ii) Name of HCF or CBMWTF	: INDIRA IVF HOSPITAL PHD
	(iii) Address for Correspondence	: Vinayak Building, 2nd floor
	(iv) Address of Facility	: Patel Babu Road, Near Ajanta Cinema, Bhagalpur - 812001
	(v) Tel. No, Fax. No	:
	(vi) E-mail ID	:
	(vii) URL of Website	:
	(viii) GPS coordinates of HCF or CBMWTF	:
	(ix) Ownership of HCF or CBMWTF	: (State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	: Authorisation No.: BMW/474/24 B-728valid up to 01-03-2029
	(xi). Status of Consents under Water Act and Air Act	: Valid up to:
2.	Type of Health Care Facility	:
	(i) Bedded Hospital	: No. of Beds:.....07
	(ii) Non-bedded hospital	:
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:
	(iii) License number and its date of expiry	:
3.	Details of CBMWTF	:
	(i) Number healthcare facilities covered by CBMWTF	:
	(ii) No of beds covered by CBMWTF	:
	(iii) Installed treatment and disposal capacity of CBMWTF:	: _____ Kg per day

24 JUN 2024

 प्राप्त किया

	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow Category	:	2.6 kg
			Red Category	:	1 kg
			White:	:	0.20 kg
			Blue Category	:	1.20 kg
			General Solid waste:	:	
5 Details of the Storage, treatment, transportation, processing and Disposal Facility					
5	(i) Details of the on-site storage facility	:	Size	:	
			Capacity	:	
			Provision of on-site storage	:	(cold storage or any other provision)
	(ii) Details of the treatment or disposal facilities	:	Type of treatment equipment	No of units	Capacity Kg/day
					Quantity treated or disposed in kg per annum
			Incinerators		
			Plasma Pyrolysis		
			Autoclaves		
			Microwave		
			Hydroclave		
			Shredder		
			Needle tip cutter or destroyer		
			Sharps		
			encapsulation or concrete pit		
			Deep burial pits:		
			Chemical disinfection:		
			Any other treatment equipment:		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	Red Category (like plastic, glass etc.)		
	(iv) No of vehicles used for collection and transportation of biomedical waste	:	own vehicles of Synergy		
	(v) Details of incineration ash and ETP sludge generated and disposed	:	Quantity generated	:	Where disposed


	during the treatment of wastes in Kg per annum	Incineration Ash ETP Sludge
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Synergy waste management PW Ltd
	(vii) List of member HCF not handed over bio-medical waste.	
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	Bmw Committee conducted two times of year
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	
	(ii) number of personnel trained	
	(iii) number of personnel trained at the time of induction	
	(iv) number of personnel not undergone any training so far	
	(v) whether standard manual for training is available?	
	(vi) any other information)	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	
	(ii) Number of the persons affected	
	(iii) Remedial Action taken (Please attach details if any)	
	(iv) Any Fatality occurred, details.	
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	
11	Is the disinfection method or sterilization meeting the log 4	

	standards? How many times you have not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from 01-01-2023 To 31-12-2023

.....

Name and Signature of the Head of the Institution



Date: 08/05/2023
 Place: Bhagalpur

Indira IVF Hospital Pvt. Ltd.
 2nd Floor, Vinayak Building
 Near Ajanta Cinema, Patel Babu Road
 Bhagalpur, Bihar, Pin-812001