


GHAZIABAD OPD- BMW ANNUAL REPORT SUBMITTING FOR THE YEAR 2023**SURAJ MAURYA <suraj.maurya@indiraivf.in>**

Sat 6/29/2024 1:20 PM

To: roghaziabad@uppcb.in <roghaziabad@uppcb.in>

Cc: DEBASHREE SARKAR <debashree.sarkar@indiraivf.in>; ROHIT DHOKE <rohit.dhoke@indiraivf.in>; Dr. MEGHA JINDAL <centerhead.ghaziabad@indiraivf.in>; RAHUL TRIPATHI <rahul.tripathi@indiraivf.in>; ABHISHEK SUKHWAL <abhishek.sukhwal@indiraivf.in>; ANUJ CHATURVEDI <anuj.chaturvedi@indiraivf.in>

 4 attachments (4 MB)

FORM 4.pdf; UPPCB.pdf; Pollution.pdf; Annual report-2023.pdf;

Dear sir/ Mam

I am hereby sending you BMW ANNUAL REPORT JAN TO DEC 2023.
Please find the attachment.

- 1- FORM IV
- 2- Pollution Authorization Certificate
- 3- BMW Waste Disposal Quantity Certificate by Vendor

THANKS & REGARDS

SURAJ KUMAR MAURYA
PHARMACIST & STORE EXECUTIVE
EMLOYEE ID- IIHPL01115
DL-UP14200002842, UP14210002840
FSSAI- 22717690000134
GST NO - 09AADCI8430Q1ZY
Indira IVF Hospital Pvt. Ltd.
ADD- VISHWAKARMA COMPLEX PLOT NO 17,18 AND 18
SECTOR 14 PO KAUSHAMBI PS INDRAPURAM
GHAZIABAD - UTTAR PRADESH -201010
PH-8447409521,7412031046

TO,
THE REGIONAL OFFICE
U.P POLLUTION CONTROL BOARD
GHAZIABAD

Sub-For Submission of Annual Report of BMW for the Year
JAN 2023 TO DEC 2023

Respected Sir/Madam

This is inform you that Indira IVF Clinic (A Unit of Indira IVF Hospital Pvt. Ltd) First Floor Vishwakarma complex Plot 17,18 Sector – 14 Kaushambi Ghaziabad Uttar Pradesh – 201010 is submitting the BMW annual report for the year Jan 2023- Dec 2023.Necessary documents are attached for the annual report.

Enclosure-

- 1- Form 4
- 2- Pollution Authorization Certificate
- 3- BMW Waste Disposal Quantity Certificate by Vendor

Thanking You

For Indira IVF Hospital Pvt Ltd, Kaushambi Ghaziabad

Authorized Signatory

Centre Seal

Doctor Seal

INDIRA IVF HOSPITAL PVT. LTD.
1st Floor, Vishwakarma Complex
Plot No.17-18, Sector-14 PO- Kaushami
PS- Indirapuram Ghaziabad (U.P.)-201010

बेटी बचाओ/बेटी पढ़ाओ,
अभियान में सहयोग करें।



SAVE GIRL CHILD



www.indiravf.com

indira_clinic@yahoo.co.in

CIN: U85110RJ2015PTC046846

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

From-IV
(See rule 13)
Annual Report

INDIRA IVF CLINIC

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or Unit of HCF or medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	DR. MEGHA JINDAL
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. MEGHA JINDAL
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL PVT LTD)
	(iii) Address for Correspondence	:	PLOT NO 17,18 VISHWAKARMA COMPLEX KAUSHAMBI GHAZIBAD UTTAR PRADESH - 201010
	(i) Address of Facility	:	PLOT NO 17,18 VISHWAKARMA COMPLEX KAUSHAMBI GHAZIBAD UTTAR PRADESH - 201010
	(ii) Tel. No. Fax. No.	:	7412031044
	(V) E-mail ID	:	Centerhead.ghaziabad@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF	:	28.648901688610092, 77.32686958203455
	(iii) Ownership of HCF of CBMWTF	:	INDIRA IVF HOSPITAL PVT LTD
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No.2574/BMW/B-821/2018
	(v) Status of Consents under Water Act and Air Act.	:	Not Applicable
2.	Type of Health Care Facility	:	No. of Bed-0
	(i) Bedded Hospital	:	No. of Bed-0
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	Not Applicable
	(iii) License number and its date of expiry.	:	RMEE2227428 Date- 30/04/2025
3.	Details if CBMWTF	:	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Not Applicable Kg per day
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	Not Applicable Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category: 37.8 Kg.(Approx)
		:	Red Category: 39.2 Kg.(Approx)

Centre Seal

INDIRA IVF HOSPITAL PVT. LTD.
1st Floor, Vishwakarma Complex
Plot No.17-18, Sector-14 PG- Kaushambi
PS- Indirapuram Ghaziabad (U.P.)-201010

बेटी बचाओ/बेटी पढ़ाओ,
अभियान में सहयोग करें।



SAVE GIRL CHILD

Doctor Seal



www.indiraivf.com

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

indira_clinic@yahoo.co.in
CIN: U85110RJ2015PTC046846

White: 1.15 Kg (Approx)
Blue Category: 3.95 Kg (Approx)
General Solid waste : 320 KG (Approx)

5.	Details of the Storage, treatment, transportation, processing and Disposal Facility	Size : 10 Kg Buckets of Different Colours Capacity: 10 Kg Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.																																																
(i)	Details of the on-site storage facility																																																	
(ii)	Disposal Facilities	<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep Burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.																																																
(iv)	No of vehicles used for collection and transportation of biomedical waste.	CBMWTF vehicles are being used for collection & transportation of bio medical waste																																																
(v)	Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to us.																																																

Centre Seal

Doctor Seal

INDIRA IVF HOSPITAL PVT. LTD.
1st Floor, Vishwakarma Complex
Plot No.17-18, Sector-14 PO- Kaushambi
PS- Indirapuram Ghaziabad (U.P.)-201010

बेटी बचाओ/बेटी पढ़ाओ,
अभियान में सहयोग करें।



SAVE GIRL CHILD



गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of		Not Known to
	(vii) List of member HCF not handed over bio-medical waste.		
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.		We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMW&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW		Training is conducted on Quarterly Basis
	(i) Number of training conducted on BMW Management.		9
	(ii) Number of personnel trained		9
	(iii) Number of personnel trained at the time of induction		
	(iv) Number of personnel not undergone any training so far.		Not any because at the time of joining we give proper training to the staff regarding BMW&H
	(v) Whether standard manual for training is available?		Yes
	(vi) Any other information)		No
8.	Details of the accident occurred during the year		Not Any
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?		Not Applicable
	Details of Continuous online emission monitoring systems installed		Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.		N/A
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?		No
12.	Any other relevant information		

Certified that the above report is for the period from Jan 2023 to Dec 2023.

Centre Seal

Doctor Seal

Name and Signature of the Head of the Institution



INDIRA IVF HOSPITAL PVT. LTD.
1st Floor, Vishwakarma Complex
Pilot No. 17-18, Sector-14 PO- Kaushambi
Date: 22/12/2023
बेटी बचाओ/बेटी पढ़ाओ अभियान में सहयोग करें।

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

INDIRA IVF CLINIC (A UNIT OF INDIRA IVF HOSPITAL P LTD.) CGHA00002255

Plant-Medicare Environmental Management Pvt. Ltd. (Ghaziabad) Period: 01-01-2023 : 31-12-2023

		Yellow Bags		Red Bags		Blue Mark Box		Whites		Total	
Sl No.	Collection Time	Count	Weight	Count	Weight	Count	Weight	Count	Weight	Count	Weight
1	02-01-2023 12:09:09	1	0.10	1	0.50	1	1.00	0	0.00	3	1.60
2	04-01-2023 14:07:49	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
3	06-01-2023 12:10:35	1	0.10	1	0.20	1	0.05	1	0.05	4	0.40
4	09-01-2023 12:15:28	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
5	11-01-2023 11:22:46	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
6	13-01-2023 14:47:36	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
7	18-01-2023 14:43:29	1	0.20	1	0.20	1	0.05	1	0.05	4	0.50
8	20-01-2023 14:35:03	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
9	23-01-2023 15:10:58	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
10	25-01-2023 12:43:32	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
11	27-01-2023 11:54:51	1	0.30	1	0.50	0	0.00	0	0.00	2	0.80
12	30-01-2023 12:32:17	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
13	01-02-2023 12:04:43	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
14	03-02-2023 11:36:24	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
15	06-02-2023 14:48:02	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
16	08-02-2023 14:38:04	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
17	10-02-2023 14:57:46	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
18	13-02-2023 12:21:09	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
19	15-02-2023 11:31:23	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
20	17-02-2023 12:01:56	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
21	20-02-2023 14:16:44	1	0.50	1	0.50	0	0.00	0	0.00	2	1.00
22	22-02-2023 11:58:10	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
23	24-02-2023 14:34:34	1	0.20	1	0.20	1	0.30	0	0.00	3	0.70
24	27-02-2023 14:49:59	2	0.50	1	0.20	0	0.00	0	0.00	3	0.70
25	01-03-2023 11:11:14	0	0.00	1	0.20	0	0.00	0	0.00	1	0.20
26	03-03-2023 11:43:34	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
27	06-03-2023 14:40:40	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
28	10-03-2023 11:00:08	1	0.20	1	0.30	1	0.05	0	0.00	3	0.55
29	13-03-2023 12:20:45	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
30	15-03-2023 15:00:21	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
31	17-03-2023 19:29:02	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
32	20-03-2023 14:36:34	1	0.20	1	0.10	1	0.10	1	0.05	4	0.45
33	22-03-2023 11:45:33	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
34	24-03-2023 15:14:57	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
35	27-03-2023 11:27:31	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
36	29-03-2023 14:28:21	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
37	03-04-2023 14:42:56	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
38	05-04-2023 15:01:18	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
39	07-04-2023 15:11:43	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
40	10-04-2023 09:28:40	1	1.00	1	0.50	0	0.00	0	0.00	2	1.50
41	12-04-2023 12:31:03	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
42	14-04-2023 15:25:19	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
43	17-04-2023 14:28:31	1	0.20	1	0.30	1	0.10	0	0.00	3	0.60

44	19-04-2023 11:08:42	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
45	21-04-2023 14:48:06	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
46	24-04-2023 12:32:44	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
47	26-04-2023 11:17:11	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
48	28-04-2023 12:14:22	0	0.00	1	0.20	0	0.00	0	0.00	1	0.20
49	01-05-2023 14:30:37	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
50	03-05-2023 12:07:48	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
51	05-05-2023 14:45:17	0	0.00	1	0.30	0	0.00	0	0.00	1	0.30
52	08-05-2023 11:40:22	1	0.10	0	0.00	0	0.00	0	0.00	1	0.10
53	10-05-2023 11:32:09	0	0.00	1	0.20	0	0.00	0	0.00	1	0.20
54	12-05-2023 14:21:14	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
55	15-05-2023 14:52:41	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
56	17-05-2023 11:57:25	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
57	19-05-2023 12:09:50	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
58	22-05-2023 11:53:18	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
59	24-05-2023 14:41:26	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
60	26-05-2023 12:27:30	1	0.20	1	0.30	1	0.20	0	0.00	3	0.70
61	29-05-2023 12:07:24	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
62	31-05-2023 11:43:42	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
63	02-06-2023 11:36:07	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
64	05-06-2023 13:56:02	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
65	07-06-2023 15:24:55	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
66	09-06-2023 11:30:23	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
67	12-06-2023 12:14:54	0	0.00	1	0.30	0	0.00	0	0.00	1	0.30
68	14-06-2023 14:06:38	2	4.00	1	2.00	0	0.00	0	0.00	3	6.00
69	16-06-2023 13:47:33	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
70	19-06-2023 14:45:09	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
71	21-06-2023 14:23:47	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
72	23-06-2023 12:51:51	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
73	26-06-2023 13:56:32	1	0.10	0	0.00	0	0.00	0	0.00	1	0.10
74	28-06-2023 13:26:27	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
75	30-06-2023 13:50:52	1	0.20	1	0.20	1	1.00	0	0.00	3	1.40
76	03-07-2023 12:38:08	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
77	05-07-2023 16:18:29	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
78	07-07-2023 11:24:45	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
79	10-07-2023 10:30:23	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
80	12-07-2023 10:30:02	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
81	14-07-2023 10:33:21	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
82	17-07-2023 15:30:34	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
83	19-07-2023 13:40:35	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
84	21-07-2023 14:42:04	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
85	24-07-2023 11:10:29	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
86	26-07-2023 15:06:11	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
87	28-07-2023 11:18:56	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
88	31-07-2023 11:05:21	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
89	02-08-2023 11:12:01	0	0.00	1	0.20	0	0.00	0	0.00	1	0.20
90	04-08-2023 14:22:23	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40

91	07-08-2023 11:36:56	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
92	09-08-2023 12:39:19	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
93	11-08-2023 13:50:01	1	0.20	1	0.30	1	0.10	0	0.00	3	0.60
94	14-08-2023 12:01:09	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
95	16-08-2023 13:28:50	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
96	18-08-2023 11:33:10	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
97	21-08-2023 14:02:20	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
98	23-08-2023 11:36:09	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
99	25-08-2023 12:21:23	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
100	28-08-2023 14:42:05	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
101	30-08-2023 12:08:52	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
102	01-09-2023 13:27:28	1	0.20	1	3.00	0	0.00	0	0.00	2	3.20
103	04-09-2023 12:23:15	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
104	06-09-2023 12:11:23	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
105	08-09-2023 12:04:38	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
106	11-09-2023 14:05:20	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
107	13-09-2023 12:33:30	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
108	15-09-2023 14:26:34	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
109	18-09-2023 11:34:17	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
110	20-09-2023 12:13:22	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
111	22-09-2023 14:22:33	1	0.50	1	0.30	1	1.00	0	0.00	3	1.80
112	25-09-2023 14:34:14	1	0.30	1	0.20	0	0.00	0	0.00	2	0.50
113	27-09-2023 12:45:19	1	0.20	1	0.10	0	0.00	0	0.00	2	0.30
114	29-09-2023 13:10:36	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
115	02-10-2023 13:36:45	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
116	04-10-2023 13:02:41	1	0.10	1	0.30	0	0.00	0	0.00	2	0.40
117	06-10-2023 14:15:18	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
118	09-10-2023 12:31:52	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
119	11-10-2023 13:45:08	0	0.00	1	0.30	0	0.00	0	0.00	1	0.30
120	13-10-2023 12:15:11	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
121	16-10-2023 14:42:15	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
122	20-10-2023 11:18:24	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
123	23-10-2023 14:05:19	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
124	27-10-2023 13:06:02	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
125	30-10-2023 13:50:38	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
126	01-11-2023 13:02:28	0	0.00	0	0.00	0	0.00	0	0.00	0	0.00
127	03-11-2023 12:14:00	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
128	06-11-2023 12:07:00	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
129	08-11-2023 13:41:34	0	0.00	1	0.20	0	0.00	0	0.00	1	0.20
130	10-11-2023 12:04:27	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
131	13-11-2023 12:23:45	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
132	17-11-2023 11:07:32	1	0.50	1	0.20	0	0.00	0	0.00	2	0.70
133	22-11-2023 11:30:28	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
134	24-11-2023 11:01:20	1	0.20	1	0.30	0	0.00	0	0.00	2	0.50
135	27-11-2023 12:38:53	1	0.10	1	0.10	0	0.00	0	0.00	2	0.20
136	29-11-2023 11:12:55	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
137	01-12-2023 11:56:01	1	0.20	1	2.00	0	0.00	0	0.00	2	2.20

138	04-12-2023 11:42:35	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
139	06-12-2023 11:28:12	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
140	08-12-2023 11:27:40	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
141	11-12-2023 12:29:49	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
142	13-12-2023 11:32:40	1	0.20	1	0.10	0	0.00	0	0.00	2	0.30
143	15-12-2023 12:30:31	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
144	18-12-2023 12:45:28	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
145	20-12-2023 11:24:54	1	0.10	1	0.20	0	0.00	0	0.00	2	0.30
146	22-12-2023 16:01:49	2	4.00	0	0.00	0	0.00	1	1.00	3	5.00
147	25-12-2023 11:40:40	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
148	27-12-2023 12:15:23	1	0.20	1	0.20	0	0.00	0	0.00	2	0.40
149	29-12-2023 12:04:00	1	2.00	1	0.30	0	0.00	0	0.00	2	2.30
Total		140	37.8	142	39.2	11	3.95	4	1.15	297	82.1



क्षेत्रीय कार्यालय – उत्तर प्रदेश प्रदूषण नियंत्रण बोर्ड, गाज़ियाबाद।
Regional Office, U.P. Pollution Control Board, Ghaziabad.

सन्दर्भ संख्या :

2574/BMW/B-821/2018

दिनांक :

17/10/2018

FORM-III
(See rule 10)
AUTHORISATION

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical wastes)

1. File number of authorization and date of issue B-821
2. M/S- Indra IVF Clinic, Ist Floor vishwakarma Complex Sec. 14 , Kaushambi Ghaziabad. Is hereby granted an authorization for;

Activity	Tick
Generation, segregation	√
Collection,	√
Storage (Temporary)	√
Packaging	√
Reception	X
Transportation	X
Treatment or processing or conversion	X
Recycling	X
Disposal or destruction (Through CBMWTF)	√
Any other mode of disposal (specify)	X

3. M/S- Indra IVF Clinic, Ist Floor vishwakarma Complex Sec. 14 , Kaushambi Ghaziabad. Is hereby authorized for handling of biomedical waste as per the capacity given below,-

- (i) Number of beds of HCF:- Nil
- (ii) Number healthcare facilities covered by CBMWTF: -NA
- (iii) Installed treatment and disposal capacity: - NA
- (iv) Area or distance covered by CBMWTF: - NA
- (v) Quantity of Biomedical waste to be handled, treated or disposal

Type of Waste Category

Yellow	-	1000 gm/Day (approx)
Red	-	500 gm/Day (approx)
White (Translucent)	-	1000gm/Day (approx)
Blue	-	1000gm/Day (approx)

4. This authorization shall be in force **ONE TIME** from the date of issue or till the date of **expiry of your agreement** with Synergy/ Medicare waste Management.
5. This authorization is subjected to the conditions stated below and to such other conditions as may be specified in the rules under the Environment(Protection)Act, 1986

P.T.O.

क्षेत्रीय कार्यालय-आई.एन.एस.-2, सेक्टर-16, वसुन्धरा, गाज़ियाबाद-201012 फोन-0120.4160108

मुख्यालय-टी0सी0-12 वी, विभूति खण्ड, गोमती नगर, लखनऊ-226010

Website-www.uppcb.com, e-mail: roghaziabad@uppcb.com

Term & conditions.

1. The Authorization shall comply with provisions of the Environment (Protection) Act 1986 and the rules made there under.
2. The Authorization or its renewal shall be produced for inspection at the request of an officer, Authorized by the prescribed authority.
3. The Authorized person shall not rent, lend, transfer or otherwise transport the bio-Medical waste without obtaining prior permission of the prescribed authority.
4. It is duty of the Authorized person to take prior permission of the Board to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
5. Any unauthorized change in personnel, equipment or working condition as mentioned in the application by the person authorized shall constitute a breach of this authorization.
6. Bio- Medical waste shall not be mixed with other waste.
7. Bio- Medical waste shall be segregated into containers/ bags at the point of generation in accordance with schedule I. Prior to its storage, transportation, treatment and disposal. The Containers shall be labeled according to schedule IV.
8. No untreated bio medical waste shall be kept stored beyond a period of 48 hours.
9. You shall submit an annual report to the U.P. Pollution Control Board in from IV by 31st January every year. And include information about the categories and quantities of Bio Medical waste during the preceding year.
10. You shall maintain record related to the generation, collection, reception storage, Transportation, treatment and disposal and / or any form of handling of Bio Medical Waste in accordance with rule and guidelines, all records shall be subject to inspection and verification by the Board at any time.
11. It is within the power and functions of U.P. Pollution Control Board to modify/ revoke the terms and conditions of Authorization and issued under the Rule 10 of the Bio-Medical waste Management Rules, 2016.
12. You are hereby directed to comply the stipulated above mentioned conditions and submit the compliance report and steps taken in this regard within a month so that capacity of the facility may be verified failing which the authorization may be revoked and necessary legal proceeding shall be initiated.
13. You will install ETP to treat the leachate generated during collection/ storage of biomedical waste.
14. The Bio medical waste shall not be disposed off in open place in the premises.
15. Compliance of the sub rules 4(c) and (k) of the biomedical rules should be ensured within 3 months time & monthly progress report be sent to this office else authorization would be Revoked without further notice.
16. You are hereby directed to comply the provisions of Bio Medical Waste Management Rules, 2016.
17. **This authorization shall be valid subject to the validity of agreement with the Common Bio-Medical Waste Treatment facility. Renewed agreement should be submitted before the expiry of existing agreement.**



(A.K.Tiwari)
Regional Officer

Copy To:

Chief Environmental Officer, Circle-1, U.P. Pollution Control Board, Lucknow for information and necessary action.

Regional Officer