

Date:- 06-06-2024

To,

The Regional Office
UP Pollution Control Board
Gorakhpur, UP

Subject:- For Submission of Annual Report of BMW for the period Jan 2023 to Dec 2023.

Respected Sir/Ma'am,

This is to inform you that Indira IVF Hospital Pvt Ltd, located at 1st & 2nd Floor, Trimurti Plaza, 9. Park Road, Opp. Bismil Park, Civil Lines, Gorakhpur (UP)-273001 has submitted the BMW annual report for the year Jan 2023 to Dec 2023. Necessary documents are attached for the annual report.

Enclosure:-

1. Copy of Covering Letter.
2. Copy of Annual BMW Report.
3. Copy of Form-4.
4. Pollution NOC.


Thanking You!

Authorized Signature

Dr. Shikha Mukhija


Shikha Mukhija

Centre Seal



Indira IVF Hospital Pvt.Ltd.
9-Park Road, Opp. Bismil Park
Civil Lines, Gorakhpur (U.P.)

Doctor Seal



बेटी बचाओ/बेटी पढ़ाओ अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd.

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurla Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

Website : www.indiraivf.com

Email : info@indiraivf.in

CIN: U85110MH2015PTC406059

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

**;From -IV
(See rule 13)
Annual Report**

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier		
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. SHIKHA MUKHIJA
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT. LTD
	(iii) Address for Correspondence	:	1 st & 2 nd FLOOR, TRIMURTI PLAZA, 9 PARK ROAD, OPPO BISMIL PARK, MOHALLA ARAJI CHHAVNI, CIVIL LINES, GORAKHPUR - 273001
	(i) Address of Facility	:	1 st & 2 nd FLOOR, TRIMURTI PLAZA, 9 PARK ROAD, OPPO BISMIL PARK, MOHALLA ARAJI CHHAVNI, CIVIL LINES, GORAKHPUR - 273001
	(ii) Tel. No. Fax. No.	:	7412056705
	(V) E-mail ID	:	centerhead.gorakhpur@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF	:	26,753856, 83.378586
	(iii) Ownership of HCF of CBMWTF	:	Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization No. 23825916 Valid up to 31/12/2024.
	(v) Status of Consents under Water Act and Air Act.	:	Valid up to: 31/12/2024
2.	Type of Health Care Facility	:	No. of Bed-10
	(i) Bedded Hospital	:	Not Applicable
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	RMEE2115999/30/05/2025
	(iii) License number and its date of expiry.	:	Not Applicable
3.	Details if CBMWTF	:	Not Known to us
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	_____ Kg per day
	(iii) Installed treatment and disposal capacity of CBMWTF	:	Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Not Applicable
			Yellow category: 542 Kg. (Approx)

		Blue Category: 502 Kg.(Approx)																																																
		General Solid waste : 1196 KG (Approx)																																																
5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																	
	(i) Details of the on-site storage facility :	Size : 30 Kg Buckets of Different Colours																																																
		Capacity: 30 Kg																																																
		Provision of on-site storage : (cold storage or any other provision)- Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.																																																
	(ii) Disposal Facilities :	<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr><td>Incinerators</td><td></td><td></td><td></td></tr> <tr><td>Plasma Paralysis</td><td></td><td></td><td></td></tr> <tr><td>Autoclaves</td><td></td><td></td><td></td></tr> <tr><td>Microwave</td><td></td><td></td><td></td></tr> <tr><td>Hydroclave</td><td></td><td></td><td></td></tr> <tr><td>Shredder</td><td></td><td></td><td></td></tr> <tr><td>Needle tip cutter or destroyer</td><td></td><td></td><td></td></tr> <tr><td>Sharps encapsulation or concrete pit</td><td></td><td></td><td></td></tr> <tr><td>Deep Burial pits:</td><td></td><td></td><td></td></tr> <tr><td>Chemical disinfection:</td><td></td><td></td><td></td></tr> <tr><td>Any other treatment equipment:</td><td></td><td></td><td></td></tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep Burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste.	CBMWTF vehicles are being used for collection & transportation of bio medical waste																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of incineration ash & ETP sludge is not known to																																																

6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMWM&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW	
	(i) Number of training conducted on BMW Management.	Training is conducted on Quarterly Basis
	(ii) Number of personnel trained	45
	(iii) Number of personnel trained at the time of induction	45
	(iv) Number of personnel not undergone any training so far.	Not any because at the time of joining we give proper training to the staff regarding BMWM&H
	(v) Whether standard manual for training is available?	Yes
	(vi) Any other information)	No
8.	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Not Any
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	N/A
11.	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	No
12.	Any other relevant information	

Certified that the above report is for the period from Jan 2023 to Dec 2023.

Shikha Kulkarni

Name and Signature of the Head of the Institution



UTTAR PRADESH POLLUTION CONTROL BOARD

TC-12V, Vibhuti Khand, Gomti Nagar, Lucknow-226010

Phone: 0522-2720828, 2720831 Fax: 0522-2720764

Email: info@uppcb.com Website: www.uppcb.com

FORM III (See Rule 10) AUTHORISATION

(AUTHORISATION FOR OPERATING A FACILITY FOR COLLECTION, RECEPTION, TREATMENT, STORAGE, TRANSPORT AND DISPOSAL OF BIOMEDICAL WASTES)

1. File no. of authorisation and date of issue: No:- 23825916 and Date:-30/12/2023
2. M/s INDIRA IVF HOSPITAL PVT LTD, KSHITIZ MURDIA an occupier or operator of the facility located at 9 PARK ROAD, TRIMURTI PLAZA, OPP BISMIL PARK, GORAKHPUR, 273001 is hereby granted an authorisation for:

Generation, segregation

Collection



Storage

Transportation



Reception

Use

Recycling

Offering for sale

Packaging

Transfer

Treatment or Processing or Conversion

Disposal or destruction

Any other form of handling

3. M/s INDIRA IVF HOSPITAL PVT LTD is hereby authorized for handling of biomedical waste as per the capacity given below:
 - (i) Number of beds of HCF: 10
 - (ii) Number of health care facilities covered by CBMWTF: N/A
 - (iii) Installed treatment and disposal capacity: N/A
 - (iv) Area or distance covered by CBMWTF: N/A
 - (v) Quantity of Biomedical waste handled, treated or disposed: N/A
4. This authorisation shall be in force for a period of 01 Years from the date of issue.
 - 4.1 The authorization shall be valid for till 29/12/2024
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986

Specific Conditions:

1. The authorised shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The Person authorised shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. Bio-Medical Waste of various category as mentioned in schedule-I, of Bio-Medical Waste Management Rules, 2016 shall be handled as per treatment and disposal facilities mentioned in the said rules.
7. Schedule-IV, Rules 5 & 8 of BMW Rules shall be fully complied.
8. HCF shall submit the NOC from authorized department for fire safety within 01 months of the issue of the authorization. failing to which this authorization will cancelled.
9. Annual Report shall be submitted in form-IV regularly.
10. The authorised agency must ensure full compliance of prescribed standards for treatment and disposal mentioned in Rules.
11. The occupier shall ensure that bio- medical waste generated in hospital is handled without any adverse effect to human health and the environment.
12. Complete details of disposal of sharps/medicines must be sent separately.
13. All other solid and liquid waste which are not covered under BMW Rules, 2016 must also be properly handled and managed so that no adverse impact on the Environment takes place.
14. No untreated Bio-Medical Waste shall be kept stored beyond a period of 48 hours after its generation for any reason it becomes necessary to store beyond the prescribed period, permission as per provisions of the Bio-Medical Waste Rules must be obtained.
15. Treated waste shall be disposed off as per provisions of the Bio-Medical Waste Rules only.
16. Bio-Medical Waste shall be segregated into containers/bags at the both of generation in accordance with schedule-I prior to its storage, transportation, treatment and disposal. The containers shall be labeled according to schedule-IV.
17. If Bio-Medical Waste is transported anywhere from the premises where it was generated, the container shall, apart from the label prescribed in schedule-IV(A), also carry information prescribed in schedule-IV(B).
18. Bio-medical waste shall not be mixed with other waste.
19. The occupier shall ensure the Mercury Spillage Management within the Hospital/Nursing Home etc due to breakages of thermometers, pressure & other measuring equipment as the spilled mercury does not become part of bio-medical or other solid wastes generated from the health care facilities.
20. Not with standing anything contained in the Motor Vehicle Act, 1988, or the rules there under, untreated bio-medical waste shall be transported only in such Vehicle as may be authorized for the purpose by the competent authority as specified by the Government.
21. Authorised HCF shall maintain records related to the generation, collection, reception, storage, transportation, treatment, disposal and / or any other form of handling of bio-medical waste in accordance with these rules and any guidelines issued. All records shall be subject to inspection and verification by the prescribed authority at any time.
22. Regular lifting of non infections bio-medical waste generated from hospital shall be ensured.
23. Safe disposal of mercury waste generation/spillage shall be carried out as per BMW rules and compliance report in this regard shall be submitted to this office every year.

24. This authorisation has been issued as per office order of Member Secretary, U.P. Pollution Control Board, Lucknow vide letter no. G28277/C-2/Sa-346/2018, dated 07/09/2018 regarding BMW Authorization of HCF.
25. The occupier shall ensure that waste water generated from the hospital shall be treated as per norms and should obtain consent to operate, under provision of Water (Prevention & Control of Pollution) Act, 1974 under section 25/26 and Air (Prevention & Control of Pollution) Act, 1981 under section 21/22.
26. It is within powers and function of the U.P. Pollution Control Board to modify/revoke the terms and conditions of the authorization issued under the Bio-medical waste Management Rules, 2016.
27. Authorisation issued to HCF shall be deemed cancelled, if HCF loses the membership of concerned CBWTF from any reasons.
28. This authorisation shall be deemed cancelled, if the CBWTF concerned with authorised HCF has not valid authorisation under BMW Rules and Consent under Air & Water Act.
29. The Health Care Facility shall use Non Chlorinated and Bar Coded Poly Bags for collection of BMW waste.
30. The Health Care Facility shall submit the copy of C.M.O registration.
31. The HCF shall comply with the direction issued by H.O. UPPCB Lucknow vide letter Number H 36239/C-6/BMW/SA-69/GKP/19 Dated 21/05/2019
32. The Board reserves the right to withdraw the authorisation without notice, if any of the condition mentioned in authorisation is not complied with.

Memo No.: 23825916

Dated:30/12/2023

Copy To:
CEO 6 : UPPCB, Lucknow.

**Anil
Kumar
Sharma**
Regionl Officer

Digitally signed
by Anil Kumar
Sharma
Date: 2023.12.30
18:46:44 +05'30'



मिशन LiFE - पर्यावरण के लिए जीवन शैली (Lifestyle For Environment) जनसहभागिता का सन्देश



- स्वच्छता – देशसेवा में अपने परिवेश की स्वच्छता हेतु अपना सक्रिय योगदान सुनिश्चित करें
- संकल्प लें - एकल उपयोग प्लास्टिक उत्पाद जैसे कप, तश्तरी, चम्मच, स्ट्रॉ, ईयरबड्स आदि का उपयोग न हो एवं पर्यावरण अनुकूल विकल्पों जैसे कागज/पत्तों से बने दोने या कटलरी को प्राथमिकता दी जाय ।
- एकल उपयोग प्लास्टिक उत्पाद के प्रयोग को रोकने एवं प्लास्टिक बैग के बजाय कपड़े के थैले का उपयोग करने मात्र से 375 मिलियन टन ठोस (प्लास्टिक) कचरे का उत्सर्जन बचाया जा सकता है
- चक्रीय अर्थव्यवस्था (सर्कुलर इकोनॉमी) का समुचित कार्यान्वयन वर्ष 2030 तक लगभग 14 लाख करोड़ रुपये की अतिरिक्त बचत उत्पन्न कर सकता है। वेस्ट /अपशिष्ट फेंकने के पूर्व सोचें, ये किमी का संसाधन तो नहीं ...?
- अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को कचरे में फेंकने से रुकें। इसके उपयुक्त निस्तारण हेतु इसे प्राधिकृत ई-वेस्ट रीसाइकलर को दें। प्राधिकृत ई-रीसाइकिलिंग इकाई में अनुपयोगी इलेक्ट्रिक / इलेक्ट्रॉनिक उत्पाद को देने मात्र से 0.75 मिलियन टन तक ई-कचरे का पुनर्चक्रण किया जा सकता है एवं ई-कचरे के विषम पर्यावरणीय दुष्प्रभाव से बचा जा सकता है
- बाहर जाते समय - सोचें कि क्या आपको वास्तव में परिवहन की आवश्यकता है - वह भी क्या व्यक्तिगत रूप से ? छोटी दूरी के लिए पैदल चलना पसंद करें, अथवा सम्भव हो तो कार पूल के रूप में संसाधन को साझा करें अथवा सार्वजनिक परिवहन पर विचार करें
- घरेलू स्तर पर कम से कम ठोस अपशिष्ट का उत्सर्जन करें और इनका प्रथाक्रीकरण करें
- उपयोगी शेष खाद्य सामग्री आपके स्वयं प्रयास अथवा निकटस्थ सक्रिय स्वयं सेवी संस्थाओं की सहायता से समाज के वंचित वर्ग तक पहुंचाई जा सकती है। वहीं अनुपयोगी भोजन /खाद्य सामग्री को कंपोस्ट (वर्मी कम्पोस्ट) करने से 15 अरब टन भोजन को नष्ट होने से बचाया जा सकता है
- ध्यान रखें - उपयुक्त नल और शावर के उपयोग से पानी की खपत को 30 - 40% तक कम किया जा सकता है। एवं उपयोग में न होने पर नलों को बंद रखने मात्र से 9 ट्रिलियन लीटर पानी बचाया जा सकता है
- ट्रैफिक लाइट/रेलवे क्रॉसिंग पर कार/स्कूटर के इंजन बंद करने मात्र से 22.5 विलियन kWh तक ऊर्जा की बचत हो सकती है
- परम्परागत बल्ब के स्थान पर CFL का उपयोग विजली की खपत में प्रभावी कमी लाते हैं। उपयोग में न होने पर विजली उपकरणों को बंद करें। स्टार रेटेड विद्युत उपकरणों के उपयोग को प्राथमिकता दें

हमारे द्वारा अपनी जीवन शैली की प्राथमिकताओं का उचित और पर्यावरण अनुकूल पुनर्निर्धारण समाज और पर्यावरण के प्रति हमारा दायित्व है।



CERTIFICATE OF MEMBERSHIP



Biohazardous

BIO MEDICAL WASTE COMPLIANCE

We in capacity as CPCB, UPPCB & WBPCB authorized CBWTF service provider hereby certify that

M/s INDIRA IVF HOSPITAL PVT. LTD.

Located at 9, PARK ROAD, TRIMURTI PLAZA, OPP. BISMIL PARK,

City GORAKHPUR No. of Beds/Path/Diag/Clinic 10
(TEN BEDS)

is designated as presently compliant for maintaining the norms of Bio Medical Waste (Management & Handling) Rules 2016 & Amended In 2018 & 2019 as per Central Pollution Control Board Guidelines of Govt. of India Environment Protection Act/ 1986 and amendments thereupon.

Certificate No.-RPCS/24/551



Valid 01-01-2024 To 31-12-2024



We want to make cities green

Certified by :



ROYAL POLLUTION CONTROL SERVICES

AUTHORIZED BY UP POLLUTION CONTROL BOARD UNDER BIO MEDICAL WASTE (MANAGEMENT & HANDLING) RULES 1998

WORK : CHANDPUR, SAIDOPPATI, SULTANPUR, Mob.: 7570008788, 9839861974

CERTIFIED ISO : 9001 & 14001 & OHSAS:18001

OUR CBWTF SITES

LUCKNOW

SPECTRUM WASTE SOLUTIONS PVT. LTD.
WORK : MASTE MAU SULTANPUR ROAD, LUCKNOW

SULTANPUR

ROYAL POLLUTION CONTROL SERVICES
WORK : CHANDPUR, SAIDOPPATI, SULTANPUR



For **ROYAL POLLUTION CONTROL SERVICES**

For Royal Pollution Control Services
Authorised Signatory

Authorised Signatory

WEST BENGAL

SPECTRUM WASTE SOLUTIONS PVT. LTD.
WORK : BALLYGUNGE CIRCULAR ROAD, KOLKATA, WEST BENGAL



ROYAL POLLUTION CONTROL SERVICES

To Whomsoever It May Concern

This is to certify that following Quantity (in Kg.) of BMW Received from Indira IVF Hospital Pvt. Ltd. Gorakhpur and been treated & disposed by us as per guidelines.

(2023)

Month	Red	Yellow	Blue	White	Total (Kg)
January	60	50	44	0	154
February	42	41	42	0	125
March	62	59	68	2	191
April	13	22	26	0	61
May	46	34	49	0	129
June	32	46	48	0	126
July	26	40	44	0	110
August	38	50	35	0	123
September	38	50	35	0	123
October	38	50	37	0	125
November	38	50	37	0	125
December	40	50	37	0	127
TOTAL	473	542	502	2	1519

For Royal Pollution Control Services

Authorized Signatory

For Royal Pollution Control Services

Authorised Signatory

WORK : CHANDPUR, SADDOPATTI, SULTANPUR

E-MAIL : ROYALPOLLUTION786@GMAIL.COM | PH.: 9839861974, 7570008788