

# INDIRA IVF

FERTILITY & IVF CENTRE

INDIRA IVF HOSPITAL PVT. LTD.

To,  
Officer InCharge  
RSPCB Vaishali Nagar Jaipur

Subject-For Submission of Annual Report of BMW For Jan 2024 to Dec 2024.

Respected Sir/Mam

This Is to Inform You That Indira IVF Hospital Private Limited Vaishali Nagar Jaipur Submitted the BIO MEDICAL WASTE Collection Annual Report Of The Year 2024 Necessary Documents For The Annual Report

Enclosure:-

Annual BMW Report  
Form-4

Thank You


  
Dr. Tanu Batra

Authorized Signature  
INDIRA IVF HOSPITAL PVT. LTD.  
1ST FLOOR, SHYAM HOUSE, PLOT No.-3  
CHANDAPALI CIRCLE, VAISHALI NAGAR  
JAIPUR-302021 (RAJASTHAN)



Centre Seal

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd.

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kurta Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah), India

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

Website : [www.indiravf.com](http://www.indiravf.com)

Email : [info@indiravf.in](mailto:info@indiravf.in)

CIN: U85110MH2015PTC406059

**;From –IV  
(See rule 13)  
Annual Report**

[To be submitted to the prescribed authority on or before 30<sup>th</sup> June every year for the period from January to December of the preceding year, by the Occupier of Health Care Facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl.No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	DR. Tanu Batra
	(ii) Name of HCF or CBMWTF	:	INDIRA IVF HOSPITAL PVT LTD
	(iii) Address for Correspondence	:	1 <sup>ST</sup> & 2 <sup>ND</sup> FLOOR SHYAM HOUSE PLOT NO 3 AMRAPALI CIRCLE VAISHALI NAGAR JAIPUR-302021 RAJASTHAN
	(i) Address of Facility		1 <sup>ST</sup> & 2 <sup>ND</sup> FLOOR SHYAM HOUSE PLOT NO 3 AMRAPALI CIRCLE VAISHALI NAGAR JAIPUR-302021 RAJASTHAN
	(ii) Tel. No. Fax. No.	:	7742678300
	(V) E-mail ID	:	centerhead.jprvaishali@indiraivf.in
	(i) URL of Website	:	https://www.indiraivf.com/
	(ii) GPS coordinates of HCF of CBMWTF		26.9111402817, 75.7425378333
	(iii) Ownership of HCF of CBMWTF		Pvt.Ltd. Company
	(iv) Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules.	:	Authorization Letter No. BMW/2023-2024/Jaipur/BMW/159 Valid from 25/01/2024 to 31/12/2028
	(v) Status of Consents under Water Act and Air Act.	:	Not Applicable
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds 14
	(ii) Non-Bedded Hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	CLINIC
	(iii) License number and its date of expiry.	:	License No. G(BMW)/1000/6371(1)/2019-2020/2986-2987 Valid upto :- 31/12/2028
3.	Details if CBMWTF	:	INSTROMEDIX WASTE MANAGEMENT PVT LTD
	(i) Number healthcare facilities covered by CBMWTF	:	Not Known to us
	(ii) No. of beds covered by CBMWTF	:	Not Known to us
	(iii) Installed treatment and disposal capacity of CBMWTF	:	_____ Kg per day Not Applicable
	(iv) Quantity of biomedical waste treated or disposal by CBMWTF	:	_____ Kg/day Not Applicable
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	:	Yellow category 716Kg.( Approx)
			Red Category: 1 1 1 1 Kg.( Approx)

White: 206 Kg.( Approx)
Blue Category: 4 97 Kg.( Approx)
General Solid waste : (Approx)

5.	Details of the Storage , treatment, transportation, processing and Disposal Facility																																																	
	(i) Details of the on-site storage facility :	Size : 20 KG Buckets of Different Colours Capacity: 20 KG Provision of on-site storage : (cold storage or any other provision)- <b>Waste are segregated in colour coded containers as referred in BMW Management Rule, 2016.</b>																																																
	(ii) Disposal Facilities :	<table border="1"> <thead> <tr> <th>Type of Treatment</th> <th>No. of Units</th> <th>Capacity Kg/Day</th> <th>Quantity Treated OR Disposed In Kg/Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Paralysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep Burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum	Incinerators				Plasma Paralysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep Burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of Treatment	No. of Units	Capacity Kg/Day	Quantity Treated OR Disposed In Kg/Annum																																															
Incinerators																																																		
Plasma Paralysis																																																		
Autoclaves																																																		
Microwave																																																		
Hydroclave																																																		
Shredder																																																		
Needle tip cutter or destroyer																																																		
Sharps encapsulation or concrete pit																																																		
Deep Burial pits:																																																		
Chemical disinfection:																																																		
Any other treatment equipment:																																																		
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycler after treatment is not known to us.																																																
	(iv) No of vehicles used for collection and transportation of biomedical waste. :	CBMWTF vehicles are being used for collection & transportation of bio medical waste																																																
	(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	<b>Not Applicable</b>																																																

	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of :	<b>INSTROMEDIX WASTE MANAGEMENT PVT LTD</b>
	(vii) List of member HCF not handed over bio-medical waste. :	Not Known to us
6.	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	We do not have Bio waste management committee. However our Housekeeping supervisor is given responsibility for training of staff regarding BMW&H. Moreover, he also looks after the proper storage of BMW in color coded bags & its handover to CBMWTF for its disposal
7.	Detail trainings conducted on BMW	
	(i) Number of training conducted on BMW Management.	Training is conducted on Quarterly Basis
	(ii) Number of personnel trained	7
	(iii) Number of personnel trained at the time of induction	7
	(iv) Number of personnel not undergone any training so far.	2 BECAUSE NEWLY JOINED
	(v) Whether standard manual for training is available?	Yes
	(vi) Any other information)	No
8.	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Not Any
	(ii) Number of the persons affected	Nil
	(iii) Remedial Action taken (Please attach details if any)	Nil
	(iv) Any Fatality occurred, details.	Nil
9.	Are you meeting the standards of air Pollution from the incinerator?. How many times in last year could not met the standards?	<b>Not Applicable</b>
	Details of Continuous online emission monitoring systems installed	<b>Not Applicable</b>
10.	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year.	<b>Never</b>
11.	It the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	N/A
12.	Any other relevant information	No

Certified that the above report is for the period from Jan 2024 to Dec 2024

Date: 04/01/2025  
Place: JAIPUR RAJASTHAN

**INDRA IVF HOSPITAL PVT. LTD.**  
1ST FLOOR, SHYAM HOUSE, PLOT No.-3  
RAPALI CIRCLE, VAISHALI NAGAR  
JAIPUR RAJASTHAN  
Name and Signature of the Head of the Institution  
**DR TANU BATRA**

11

11

11

BIO MEDICAL WASTE MONTH WISE 2024						
JAIPUR, VAISHALI NAGAR						
S.NO	Month	RED	YELLOW	BLUE	WHITE	
1	Jan-24	80	61	23	8	
2	Feb-24	62	74	29	10	
3	Mar-24	40	20	22	5	
4	Apr-24	95	64	36	21	
5	May-24	105	78	31	20	
6	Jun-24	94	58	52	15	
7	Jul-24	99	59	50	20	
8	Aug-24	101	6	65	23	
9	Sep-24	107	77	47	22	
10	Oct-24	142	71	34	19	
11	Nov-24	77	69	39	24	
12	Dec-24	109	79	69	19	
	TOTAL	1111	716	497	206	

INDIRA IVF HOSPITAL PVT. LTD.  
1<sup>ST</sup> FLOOR, SHYAM HOUSE, PLOT No.-3  
RAPALI CIRCLE, VAISHALI NAGAR,  
JAIPUR-302021 (RAJASTHAN)

Centre Seal

Doctor Seal



SAVE GIRL CHILD

बेटी बचाओ/बेटी पढ़ाओ, अभियान में सहयोग करें।

Accredited by



Indira IVF Hospital Pvt. Ltd.

Registered Office :

4th Floor, C Tower, Times Square Building, Marol, Gamdevi, Andheri Kuria Road, Andheri East, Marol Naka, Mumbai- 400059, (Mah.), India

Website : [www.indiraivf.com](http://www.indiraivf.com)

Email : [info@indiraivf.in](mailto:info@indiraivf.in)

CIN: U85110MH2015PTC406059

गर्भ/भ्रूण का लिंग परीक्षण करना/करवाना कानूनन अपराध है। यह कार्य हमारे यहां नहीं किया जाता है।

