

Date: - 20/01/2025

To,
Officer In charge,
RSPCB, Udaipur (Raj.)

Subject-For Submission of Annual Report of BMW for the period Jan 2024 to Dec 2024.

Respected Sir/Mam,

This is to inform you that Indira IVF Hospital Limited, located at 44, Amar Niwa, Opp. College Road, Kumharon ka Bhatta, Central area, Udaipur, Rajasthan 313001 is here to submit the BMW annual report for the year 2024. Required documents for the annual report.

Enclosure: -

1. Copy of Covering letter
2. Copy of annual BMW Report.
3. Copy of Form-4.
4. Latest STP plant water testing report
5. BMW Agreement valid till 31/03/2025



Thanking You
For INDIRA IVF HOSPITAL LIMITED


Authorized Signatory

Authorized Signatory

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorized person (occupier or operator of facility)	:	Dr. Taruna Jhamb
	(ii) Name of HCF or CBMWTF	:	Indira IVF Hospital LTD
	(iii) Address for Correspondence	:	44, Amar Niwa, Opp. College Road, Kumharon ka Bhatta, Central area, Udaipur, Rajasthan 313001
	(iv) Address of Facility	:	44, Amar Niwa, Opp. College Road, Kumharon ka Bhatta, Central area, Udaipur, Rajasthan 313001
	(v) Tel. No, Fax. No	:	
	(vi) E-mail ID	:	centerhead.udaipur@indiraivf.in
	(vii) URL of Website	:	https://www.indiraivf.com/
	(viii) GPS coordinates of HCF or CBMWTF	:	24.579965764284427, 73.71075903068292
	(ix) Ownership of HCF or CBMWTF	:	Ltd. Company
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation letter no.: F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: 30/09/2028
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds :-20
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	
	(iii) License number and its date of expiry	:	F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679 Expiry:30/09/2028
3.	Details of CBMWTF	:	EN-VISION ENVIRO ENGINEERS PVT. LTD.

INDIRA IVF HOSPITAL LIMITED

(i) Number healthcare facilities covered by CBMWTF	:	Not Known us
(ii) No of beds covered by CBMWTF	:	20
(iii) Installed treatment and disposal capacity of CBMWTF:	:	Kg per day Not Applicable

(iv) Quantity of biomedical waste treated or disposed by CBMWTF	:	Kg/day Not Applicable																																																	
4. Quantity of waste generated or disposed in Kg per annum (Jan. 24 to Dec.24)	:	Yellow Category: 325 kg																																																	
	:	Red Category: 2436 kg																																																	
	:	White: 20.3 kg																																																	
	:	Blue Category: 1289.8 kg																																																	
	:	General Solid waste:																																																	
5 Details of the Storage, treatment, transportation, processing and Disposal Facility																																																			
(i) Details of the storage facility	on-site	:	Size : 20 KG Buckets of different colours																																																
		:	Capacity: 20 KG																																																
		:	Provision of on-site storage: (cold storage or any other provision) -Waste are segregated in colour coded containers as referred in BMW Management rule, 2016.																																																
(ii) Details of the disposal facilities	treatment or	:	<table border="1"> <thead> <tr> <th>Type of treatment Equipment</th> <th>No of units</th> <th>Capacity Kg/day</th> <th>Quantity treated or Disposed in kg per annum.</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Plasma Pyrolysis</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Autoclaves</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Microwave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Hydroclave</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Shredder</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Deep burial pits:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td></td> <td></td> <td></td> </tr> <tr> <td>Any other treatment equipment:</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment Equipment	No of units	Capacity Kg/day	Quantity treated or Disposed in kg per annum.	Incinerators				Plasma Pyrolysis				Autoclaves				Microwave				Hydroclave				Shredder				Needle tip cutter or destroyer				Sharps encapsulation or concrete pit				Deep burial pits:				Chemical disinfection:				Any other treatment equipment:			
Type of treatment Equipment	No of units	Capacity Kg/day	Quantity treated or Disposed in kg per annum.																																																
Incinerators																																																			
Plasma Pyrolysis																																																			
Autoclaves																																																			
Microwave																																																			
Hydroclave																																																			
Shredder																																																			
Needle tip cutter or destroyer																																																			
Sharps encapsulation or concrete pit																																																			
Deep burial pits:																																																			
Chemical disinfection:																																																			
Any other treatment equipment:																																																			

INDIRA IVF HOSPITAL LIMITED

(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum.	:	CBMWTF does the work of treatment & disposal of our bio-medical waste so details of quantity of recycle waste sold to authorized recycle after treatment is not known to us.
(iv) No of vehicles used for collection and transportation of biomedical waste	:	CBWTF vehicle are being used for collection & treatment of bio medical waste.
(v) Details of incineration ash and ETP sludge generated and disposed		Not applicable

	during the treatment of wastes in Kg per annum	
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	EN-VISION ENVIRO ENGINEERS PVT. LTD.
	(vii) List of members HCF not handed over bio-medical waste.	Not Known to us
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	We do not have Bio waste management committee. However, our housekeeping supervisor is given responsibility for training of staff regarding BMW. Moreover, he also looks after the proper storage of BMW in colour coded bags & its handover to CBMWTF for its disposal.
7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management.	Training is conducted on Quarterly basis.
	(ii) number of personnel trained	25
	(iii) number of personnel trained at the time of induction	25
	(iv) number of personnel not undergone any training so far	Not any because at the time of joining we give proper training to the staff regarding BMW.
	(v) whether standard manual for training is available?	Yes
	(vi) any other information)	No
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	Not Any
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details.	NIL

INDIRA IVF HOSPITAL LIMITED

9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		NOT Applicable
	Details of Continuous online emission monitoring systems installed		NOT Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Never
11	Is the disinfection method or sterilization meeting the log 4		N/A
	Standards? How many times you have Not met the standards in a year?		NO
12	Any other relevant information	:	For Sharp Waste, Chemical Disinfection Bins & for Destruction of hypodermic Needles.

Certified that the above report is for the period from 01/01/2024 TO 31/12/2024

For INDIRA IVF HOSPITAL LIMITED


Authorised Signatory

Name and Signature of the Head of the Institution

D. : 20/01/2025
Place: UDAIPUR



Regional Office Udaipur
Rajasthan State Pollution Control Board
F / 470, Madri Ind. Area, Udaipur
Phone: 0294-2491269



Registered

File No : F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679
Order No: 2023-2024/Udaipur/9760

Date: Aug 22 2023 11:46AM

Unit Id : 72393

M/s M/S Indira IVF Hospital Private Limited

44, Amar Niwas, Opp. M.B. College Kumharo Ka Bhatta ,
Udaipur Tehsil:Girwa
District:Udaipur

Sub: Consent to Operate under Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under Section 21(4) of Air (Prevention & Control of Pollution) Act, 1981.
Ref: Your application for Consent to Operate dated 20/06/2023 and subsequent correspondence.

Sir,

Consent to Operate under the provisions of Section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 (hereinafter to be referred as the Water Act) and under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981, (hereinafter to be referred as the Air Act) as amended to date and rules & the orders issued thereunder is hereby granted for your Indira IVF Hospital Private Limited I plant situated at 44, Amar Niwas, Opp MB College Kumharo Ka Bhatta Udaipur Tehsil:Girwa District:Udaipur , Rajasthan, subject to the following conditions:-

- 1 That this Consent to Operate is valid for a period from 01/10/2023 to 30/09/2028 .
- 2 That this Consent is granted for manufacturing / producing following products / by products or carrying out the following activities or operation/processes or providing following services with capacities given below:

Particular	Type	Quantity with Unit
Hospital	Service	20.00 BEDS

- 3 That this Consent to Operate is for existing plant, process & capacity and separate Consent to Establish/Operate is required to be taken for any addition / modification / alteration in process or change in capacity or change in fuel.

Page 1 of 4

Signature valid

Digitally signed by Shradh Saksena
Date: 2023.08.22 11:46:28 IST
Reason: Self Attested
Location:





Regional Office Udaipur
Rajasthan State Pollution Control Board
F / 470, Madri Ind. Area, Udaipur
Phone: 0294-2491269

Registered

File No : F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679

Order No: 2023-2024/Udaipur/9760


Date: Aug 22 2023 11:46AM

Unit Id : 72393

- 4 (i) It may be clarified that if hospital activities are carried on without valid authorization of the Board, it would be treated as a violation of the provisions of the Environment Protection Act-1986.
- (ii) That the hospital shall submit a copy of a valid agreement with CBWTF (i.e. En-Vision Enviro Engineers Pvt. Ltd) before expiry of present agreement, failing which this Authorization shall be treated as cancelled.
- (iii) That the unit shall install STP (sewerage treatment plant) for treatment of domestic wastewater generated from hospital utilities if required.
- (iv) This consent to operate is being issued on the basis of the validity of membership of CBWTF.
- (v) That the bedded HCF is required to comply with limits under Schedule II at S. No. 8 of Biomedical Waste Management Rules, 2016; CPCB guidelines for management of Healthcare Waste as per BMW Rules, 2016 may be referred.
- (vi) That the bedded HCF shall comply the standards applicable to HCF having own STP and discharge their wastewater into public sewer connected to a terminal sewage treatment plant, the bedded HCFs are required to meet general standards as notified under the Environment (Protection) Act, 1986 (29 of 1986).
- (vii) That no Single Use Plastic (SUP) item, which is banned vide ministry of Environment, Forest and Climate Change (MOEF&CC), Government of India Notification dated 12.08.2021 shall be used in the industry/Unit premises.
- (viii) That this consent/authorization is valid as per the document submitted by the unit proponent without any physical verification. The unit shall be inspected by the Board Officials to check the compliance & the bed capacity of the Hospital/HCF. If any non-compliance is found the BMW authorization/ CTO may be revoked.
- (ix) That the hospital management shall continue to segregate the biomedical waste as per provisions of BMWR, as amended till date, and hand it over regularly to the operator of common Bio-Medical waste disposal facility, after due packing in color-coded bags, as prescribed in schedule IV (Rule-6) of the BMWR.
- (x) That infected hospital liquid waste must be given chemical treatment by using at least 1% hypochlorite solution or any other equivalent chemical reagent to ensure required disinfection.
- (xi) That the Hospital/HCF shall not install any source of air emission without prior consent to establish from the State Board.
- (xii) That the hospital shall submit a renewed copy of the CBWTF membership certificate every year to this office.
- (xiii) That the grant of this consent shall not absolve the project proponent from making compliance of other statutory obligations prescribed under any other law

Signature valid

Digitally signed by Shradh Saksena
Date: 2023.08.22 11:46:28 IST
Reason: Self Attested
Location:





Regional Office Udaipur
Rajasthan State Pollution Control Board
F / 470, Madri Ind. Area, Udaipur
Phone: 0294-2491269

Registered

File No : F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679

Date: Aug 22 2023 11:46AM

Order No: 2023-2024/Udaipur/9760


Unit Id : 72393

- or directions of courts or any other legal instrument for the time being in force.
- (xiv) All hospitals irrespective of bed capacity, not connected to sewer line are required to install effluent treatment plant and complying with the below standards pH 6.5-9.0, TSS-100 mg/l, Oil and Grease- 10 mg/l, BOD- 30 mg/l, COD-250 mg/l and Bio assay test-90% survival of fish after 96 hours in 100% effluent.
- (xv) That the bedded HCF shall comply with the standards applicable to HCF having its own STP but not connected with CSTP. Standards: PH- 6.5-9.0, O/G - 10 mg/l, BOD-30 mg/l, TSS-100 mg/l, COD-250 mg/l and Bio-assay test- 90% survival of fish after 96 hours in 100% effluent.
- 5 That, notwithstanding anything provided hereinabove, the State Board shall have the power and reserves its right, as contained under Section 27(2) of the Water Act and under Section 21(6) of the Air Act to review anyone or all of the conditions imposed here in above and to make such variation as it deems fit for the purpose of Air Act & Water Act.
- 6 That the grant of this Consent to Operate is issued from the environmental angle only, and does not absolve the project proponent from the other statutory obligations prescribed under any other law or any other instrument in force. The sole and complete responsibility to comply with the conditions laid down in all other laws for the time-being in force, rests with the industry/ unit/ project proponent.
- 7 That the grant of this Consent to Operate shall not, in any way, adversely affect or jeopardize the legal proceeding, if any, instituted in the past or that could be instituted against you by the State Board for violation of the provisions of the Water Act and Air Act or the Rules made thereunder.
- 8 That the Project Proponent shall comply with provisions of the E-waste (Management) Rules, 2016 and ensure that e-waste generated by them is channelized through collection centre or dealer of authorized producer or dismantler or recycler or through designated take back service provider of the producer to authorized dismantler or recycler.
- 9 That the Project Proponent shall maintain record of e-waste generated by them in Form-2 and make such records available for scrutiny by the Board.
- 10 That the Project Proponent shall file annual returns in Form-3, to the Board on or before the 30th day of June following the financial year to which that return relates.
- 11 That the transportation of e-waste shall be carried out as per the manifest system whereby the transporter shall be required to carry a document (three copies) prepared by the sender, giving the details as per Form-6.

Page 3 of 4

Signature valid

Digitally signed by Sharad Saksena
Date: 2023.08.22 11:46:28 IST
Reason: Self Issued
Location:





Regional Office Udaipur
Rajasthan State Pollution Control Board
F / 470, Madri Ind. Area, Udaipur
Phone: 0294-2491269

Registered

File No : F(BMW)/Udaipur(Girwa)/2779(1)/2015-2016/678-679
Order No: 2023-2024/Udaipur/9760
Unit Id : 72393

Date: Aug 22 2023 11:46AM

- 12 That the Project Proponent shall comply with provisions of the Batteries (Management and Handling) Rules, 2001 (as amended) and submit half yearly returns (as bulk consumer, importer, auctioneer, recycler as the case may be) to the State Board as provided under Rule 10 (2) (ii) of the Battery (Management and Handling) Rules, 2001 (as amended). In case the Project Proponent is not a bulk consumer even then the used batteries shall be returned to the authorized dealers or recyclers only.
- 13 That the record of batteries purchased and sold/ returned to registered dealers and/ or authorized recyclers shall be maintained and made available to the officers of the Board during inspections.

This **Consent to Operate** shall also be subject, besides the aforesaid specific conditions, to the general conditions given in the enclosed Annexure. The Project Proponent will comply with the provisions of the **Water Act and Air Act** and to such other conditions as may, from time to time, be specified, by the State Board under the provisions of the aforesaid Act(s). Please note that, non compliance of any of the above stated conditions would tantamount to revocation of **Consent to Operate** and Project Proponent / occupier shall be liable for legal action under the relevant provisions of the said Act(s).

Yours sincerely,

Regional Officer[Udaipur]


(A): Copy to:-

1 Master File.

Regional Officer[Udaipur]

Signature valid

Digitally signed by Sharad Saksena
Date: 2023.08.22 11:46:28 IST
Reason: Self signed
Location:





En- Vision Enviro Engineers Pvt. Ltd.
CBWTF- UDAIPUR (Raj.)
BMW Collection and Disposal Record Udaipur
For the Period - January 2024 To December 2024

INDIRA IVF HOSPITAL PVT. LTD. (UDR198)

MONTH	YELLOW	RED	BLUE	WHITE	TOTAL
Jan 24	22.5	200	95	2	319.5
Feb 24	22	180	100	1	303
Mar 24	28	195	120	0.9	343.9
Apr 24	21.5	185	99	2	307.5
May 24	23	202	129	3.5	357.5
Jun 24	28.5	189	103	5	325.5
Jul 24	31	235	98.5	2.5	367
Aug 24	29	230	120	0.5	379.5
Sep 24	30.5	205	105.3	1	341.8
Oct 24	28	170	130	0.8	328.8
Nov 24	31	270	100	1	402
Dec 24	30	175	90	0.1	295.1
TOTAL =	325	2436	1289.8	20.3	4071.1


 Authorised Signatory



For INDIRA IVF HOSPITAL LIMITED

 Authorised Signatory